

according to Regulation (EC) No 1907/2006

## Kisling - 1678-1 - component A 1680-1

Revision date: 23.05.2023 Product code: 1678-1 Page 1 of 18

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Kisling - 1678-1 - component A 1680-1

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Adhesives and sealants

### Uses advised against

No information available.

### 1.3. Details of the supplier of the safety data sheet

Company name: Kisling AG

Street: Motorenstrasse 102
Place: CH-8620 Wetzikon
Telephone: +41 58 272 0 272
e-mail: info@kisling.com

Contact person: Isabel Winter Telephone: +49 7941 92054087

e-mail: info@kisling.com
Internet: www.kisling.com

1.4. Emergency telephone 24 hr. emergency phone number +1 872 5888271 (KAR)

number: Medicines & Poisons Info Office +356 2545 6508

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### Regulation (EC) No 1272/2008

### Hazard components for labelling

Benzyl methacrylate

methacrylic acid; 2-methylpropenoic acid

Propylidynetrimethanol, ethoxylated, esters with acrylic acid (<6.5 mol EO)

2-hydroxyethyl methacrylate

N,N-bis-(2-hydroxyethyl)-para-toluidine

tributylamine

Signal word: Danger

Pictograms:









according to Regulation (EC) No 1907/2006

# Kisling - 1678-1 - component A 1680-1

Revision date: 23.05.2023 Product code: 1678-1 Page 2 of 18

#### **Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

#### **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Pictograms:





#### **Hazard statements**

H317-H318

### **Precautionary statements**

P261-P280-P305+P351+P338-P310-P333+P313-P362+P364

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### Chemical characterization

Mixture of substances listed below with nonhazardous components.



according to Regulation (EC) No 1907/2006

# Kisling - 1678-1 - component A 1680-1

Revision date: 23.05.2023 Product code: 1678-1 Page 3 of 18

### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)	•	
2495-37-6	Benzyl methacrylate			50 - < 100 %
	219-674-4			
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens.	1, STOT SE 3; H315 H3	19 H317 H335	
79-41-4	methacrylic acid; 2-methylpropenoi	c acid		1 - < 5 %
	201-204-4	607-088-00-5	01-2119463884-26	
	Acute Tox. 3, Acute Tox. 4, Acute 14314 H318 H335	Γοχ. 4, Skin Corr. 1A, Eye	e Dam. 1, STOT SE 3; H311 H332 H302	
28961-43-5	Propylidynetrimethanol, ethoxylated	1 - < 5 %		
	500-066-5		01-2119489900-30	
	Eye Irrit. 2, Skin Sens. 1B; H319 H	317		
52628-03-2	2-Propenoic acid, 2-methyl-, 2-hyd	1 - < 5 %		
	258-053-2			
	Skin Irrit. 2, Eye Dam. 1; H315 H31			
868-77-9	2-hydroxyethyl methacrylate	0.1 - < 1 %		
	212-782-2	607-124-00-X		
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens.			
103671-44-9	N,N-bis-(2-hydroxyethyl)-para-tolui	0.1 - < 1 %		
			01-2119979579-10	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam	ı. 1, Skin Sens. 1, Aquati	c Chronic 3; H302 H315 H318 H317 H412	
91-66-7	N,N-diethylaniline			0.1 - < 1 %
	202-088-8	612-054-00-8	01-2119943758-22	
	Acute Tox. 3, Acute Tox. 3, Acute TH411	Гох. 3, STOT RE 2, Aqua	atic Chronic 2; H331 H311 H301 H373	
102-82-9	tributylamine	0.1 - < 1 %		
	203-058-7			
	Acute Tox. 1, Acute Tox. 2, Acute	Γοχ. 4, Skin Irrit. 2, STOT	RE 1; H330 H310 H302 H315 H372	

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

## Kisling - 1678-1 - component A 1680-1

Revision date: 23.05.2023 Product code: 1678-1 Page 4 of 18

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc	Limits, M-factors and ATE	
2495-37-6	219-674-4	Benzyl methacrylate	50 - < 100 %
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = 3980 mg/kg	
79-41-4	201-204-4	methacrylic acid; 2-methylpropenoic acid	1 - < 5 %
	I	250 = 7,1 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 500 D50 = 1320 mg/kg STOT SE 3; H335: >= 1 - 100	
28961-43-5	500-066-5	Propylidynetrimethanol, ethoxylated, esters with acrylic acid (<6.5 mol EO)	1 - < 5 %
	dermal: LD50	= > 13200 mg/kg; oral: LD50 = > 2000 mg/kg	
52628-03-2	258-053-2	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, phosphate	1 - < 5 %
	oral: LD50 = >	> 2000 mg/kg	
868-77-9	212-782-2	2-hydroxyethyl methacrylate	0.1 - < 1 %
	dermal: LD50	= > 5000 mg/kg; oral: LD50 = 5564 mg/kg	
103671-44-9		N,N-bis-(2-hydroxyethyl)-para-toluidine	0.1 - < 1 %
	dermal: LD50	= >2000 mg/kg; oral: LD50 = 619 mg/kg	
91-66-7	202-088-8	N,N-diethylaniline	0.1 - < 1 %
		E = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = > 400 TE = 100 mg/kg	
102-82-9	203-058-7	tributylamine	0.1 - < 1 %
		50 = 0,5 mg/l (vapours); inhalation: ATE = 0,005 mg/l (dusts or mists); dermal: LD50 = al: LD50 = 420 mg/kg	

### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

Take off immediately all contaminated clothing.

### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Get immediate medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.



Kisling AG

according to Regulation (EC) No 1907/2006

### Kisling - 1678-1 - component A 1680-1

Revision date: 23.05.2023 Product code: 1678-1 Page 5 of 18

#### Unsuitable extinguishing media

No information available.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

No special handling advices are necessary.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

# Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

### Further information on handling

Keep only in the original container in a cool, well-ventilated place.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only.

Provide adequate ventilation as well as local exhaustion at critical locations.

### Hints on joint storage

none

#### Further information on storage conditions

Store in a cool dry place. Protect from direct sunlight.



Kisling AG

according to Regulation (EC) No 1907/2006

Kisling - 1678-1 - component A 1680-1

Revision date: 23.05.2023 Product code: 1678-1 Page 6 of 18

### 7.3. Specific end use(s)

No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters



according to Regulation (EC) No 1907/2006

# Kisling - 1678-1 - component A 1680-1

Revision date: 23.05.2023 Product code: 1678-1 Page 7 of 18

# **DNEL/DMEL values**

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
2495-37-6	Benzyl methacrylate			
Worker DNEL,	long-term	inhalation	systemic	24,2 mg/m³
Worker DNEL,	long-term	dermal	systemic	6,94 mg/kg bw/day
Consumer DNE	EL, long-term	inhalation	systemic	7,2 mg/m³
Consumer DNE	EL, long-term	dermal	systemic	4,17 mg/kg bw/day
Consumer DNE	EL, long-term	oral	systemic	4,17 mg/kg bw/day
79-41-4	methacrylic acid; 2-methylpropenoic acid			
Worker DNEL,	long-term	inhalation	systemic	39,3 mg/m³
Worker DNEL,	long-term	inhalation	local	44 mg/m³
Worker DNEL,	long-term	dermal	systemic	4,25 mg/kg bw/day
Worker DNEL,	long-term	dermal	local	0,38 mg/cm <sup>2</sup>
Consumer DNE	EL, long-term	inhalation	systemic	11,7 mg/m³
Consumer DNE	EL, long-term	inhalation	local	8,8 mg/m³
Consumer DNE	EL, long-term	dermal	systemic	5,35 mg/kg bw/day
Consumer DNE	EL, long-term	dermal	local	0,23 mg/cm <sup>2</sup>
Consumer DNE	EL, long-term	oral	systemic	5,35 mg/kg bw/day
28961-43-5	Propylidynetrimethanol, ethoxylated, esters with acrylic acid	d (<6.5 mol EO)		
Worker DNEL,	long-term	inhalation	systemic	37 mg/m³
Worker DNEL,	long-term	dermal	systemic	10,5 mg/kg bw/day
52628-03-2	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, phospha	te		
Worker DNEL,	long-term	inhalation	systemic	7,04 mg/m³
Consumer DNE	EL, long-term	inhalation	systemic	1,74 mg/m³
868-77-9	2-hydroxyethyl methacrylate			
Worker DNEL,	long-term	inhalation	systemic	4,9 mg/m³
Worker DNEL,	long-term	dermal	systemic	1,39 mg/kg bw/day
Consumer DNE	EL, long-term	inhalation	systemic	1,45 mg/m³
Consumer DNE	EL, long-term	dermal	systemic	0,83 mg/kg bw/day
Consumer DNE	EL, long-term	oral	systemic	0,83 mg/kg bw/day
91-66-7	N,N-diethylaniline			
Worker DNEL,	long-term	dermal	systemic	7 mg/kg bw/day
Consumer DNE	EL, long-term	dermal	systemic	2,5 mg/kg bw/day
Consumer DNE	EL, long-term	oral	systemic	0,0167 mg/kg bw/day
102-82-9	tributylamine			
Worker DNEL,	long-term	inhalation	systemic	5,3 mg/m³
Worker DNEL,	acute	inhalation	systemic	10,6 mg/m³
Worker DNEL,	long-term	inhalation	local	15,2 mg/m³
Worker DNEL,	acute	inhalation	local	15,2 mg/m³



according to Regulation (EC) No 1907/2006

# Kisling - 1678-1 - component A 1680-1

Revision date: 23.05.2023 Product code: 1678-1 Page 8 of 18

### **PNEC values**

CAS No	Name of agent	
Environmenta	al compartment	Value
2495-37-6	Benzyl methacrylate	
Freshwater	•	0,01 mg/l
Freshwater (i	intermittent releases)	0,005 mg/l
Marine water		0,001 mg/l
Freshwater s	ediment	0,423 mg/kg
Marine sedim	nent	0,042 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	1,33 mg/l
Soil		0,079 mg/kg
79-41-4	methacrylic acid; 2-methylpropenoic acid	<u> </u>
Freshwater	•	0,82 mg/l
Freshwater (i	intermittent releases)	0,45 mg/l
Marine water		0,082 mg/l
Freshwater s	ediment	3,09 mg/kg
Marine sedim	nent	0,309 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	100 mg/l
Soil		0,137 mg/kg
28961-43-5	Propylidynetrimethanol, ethoxylated, esters with acrylic acid (<6.5 mol EC	D)
Freshwater	0,002 mg/l	
Freshwater (i	0,019 mg/l	
Marine water		0 mg/l
Freshwater s	ediment	0,038 mg/kg
Marine sedim	nent	0,004 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	10 mg/l
Soil		0,006 mg/kg
52628-03-2	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, phosphate	
Freshwater	•	0,068 mg/l
Freshwater (i	intermittent releases)	0,68 mg/l
Marine water		0,007 mg/l
Freshwater s	ediment	0,481 mg/kg
Marine sedim	nent	0,048 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	0,546 mg/l
Soil		0,056 mg/kg
868-77-9	2-hydroxyethyl methacrylate	
Freshwater		0,482 mg/l
Freshwater (i	intermittent releases)	1 mg/l
Marine water		0,048 mg/l
Freshwater s	ediment	3,79 mg/kg
Marine sedim	nent	3,79 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	10 mg/l
Soil		0,476 mg/kg



according to Regulation (EC) No 1907/2006

## Kisling - 1678-1 - component A 1680-1

Revision date: 23.05.2023 Product code: 1678-1 Page 9 of 18

91-66-7	N,N-diethylaniline		
Freshwater	Freshwater		
Freshwater (in	termittent releases)	0,0742 mg/l	
Marine water		0,000936 mg/l	
Freshwater se	diment	2,52 mg/kg	
Marine sedime	ent	0,252 mg/kg	
Micro-organism	ns in sewage treatment plants (STP)	0,018 mg/l	
Soil		0,498 mg/kg	
102-82-9	tributylamine		
Freshwater		0,008 mg/l	
Freshwater (in	Freshwater (intermittent releases)		
Marine water	Marine water		
Freshwater sediment		35,85 mg/kg	
Marine sediment 3,59 mg		3,59 mg/kg	
Micro-organisms in sewage treatment plants (STP)		100 mg/l	
Soil		7,17 mg/kg	

#### 8.2. Exposure controls





### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: goggles.

### **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves must be worn.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: white



according to Regulation (EC) No 1907/2006

### Kisling - 1678-1 - component A 1680-1

Revision date: 23.05.2023 Product code: 1678-1 Page 10 of 18

Odour: characteristic
Odour threshold: not determined

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

boiling range:

Flammability: not applicable

not determined Lower explosion limits: not determined Upper explosion limits: >90 °C Flash point: not determined Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value: not determined Viscosity / kinematic: practically insoluble Water solubility: not determined Vapour pressure: not determined Density: not determined Relative density: not determined Relative vapour density:

#### 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties not explosive. Oxidizing properties not determined

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No further relevant information available.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

## 10.4. Conditions to avoid

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.5. Incompatible materials

No further relevant information available.

### 10.6. Hazardous decomposition products

No further relevant information available.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

No data available

#### **Acute toxicity**

Harmful if inhaled.





according to Regulation (EC) No 1907/2006

# Kisling - 1678-1 - component A 1680-1

Revision date: 23.05.2023 Product code: 1678-1 Page 11 of 18

### **ATEmix** calculated

ATE (oral) 14986,7 mg/kg; ATE (dermal) 8347,1 mg/kg; ATE (inhalation vapour) 96,75 mg/l; ATE (inhalation dust/mist) 1,885 mg/l



according to Regulation (EC) No 1907/2006

# Kisling - 1678-1 - component A 1680-1

Revision date: 23.05.2023 Product code: 1678-1 Page 12 of 18

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
2495-37-6	Benzyl methacrylate					
	oral	LD50 mg/kg	3980	Rat	Study report (1984)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2011)	EU Method B.3
79-41-4	methacrylic acid; 2-methy	/lpropenoic	acid			
	oral	LD50 mg/kg	1320	Rat	Study report (1977)	OECD Guideline 401
	dermal	LD50	500 mg/kg	Rabbit	Pre-supplier/manufactu rer	
	inhalation (4 h) vapour	LC50	7,1 mg/l	Rat	Pre-supplier/manufactu rer	OECD 403
	inhalation dust/mist	ATE	1,5 mg/l			
28961-43-5	Propylidynetrimethanol, e	ethoxylated,	esters with a	crylic acid (<6.5 m	ol EO)	
	oral	LD50 mg/kg	> 2000	Rat	Study report (1998)	OECD Guideline 401
	dermal	LD50 mg/kg	> 13200	Rabbit	Study report (1984)	An acute dermal toxicity study was perfo
52628-03-2	2-Propenoic acid, 2-meth	ıyl-, 2-hydro	xyethyl ester,	phosphate		
	oral	LD50 mg/kg	> 2000	Rat	Study report (2013)	OECD Guideline 425
868-77-9	2-hydroxyethyl methacryl					
	oral	LD50 mg/kg	5564	Rat	Study report (1977)	other: Appraisal of the safety of chem b
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1982)	The test substance, as received, was hel
103671-44-9	N,N-bis-(2-hydroxyethyl)-	para-toluidi	ne			
	oral	LD50	619 mg/kg		Pre-supplier/manufactu rer	OECD 401
	dermal	LD50 mg/kg	>2000		Pre-supplier/manufactu rer	OECD 402
91-66-7	N,N-diethylaniline					
	oral	ATE	100 mg/kg			
	dermal	LD50 mg/kg	> 400	Rabbit	ChemIDplus (2018)	other: As mentioned below
	inhalation vapour	ATE	3 mg/l			
	inhalation dust/mist	ATE	0,5 mg/l			
102-82-9	tributylamine					
	oral	LD50	420 mg/kg	Rat	Publication (1974)	Method: acute oral toxicity test Screeni
	dermal	LD50	195 mg/kg	Rabbit	Publication (1974)	Method: acute dermal toxicity Screening
	inhalation (4 h) vapour	LC50	0,5 mg/l	Rat	Study report (1987)	OECD Guideline 403
	inhalation dust/mist	ATE	0,005 mg/l			



Kisling AG

according to Regulation (EC) No 1907/2006

### Kisling - 1678-1 - component A 1680-1

Revision date: 23.05.2023 Product code: 1678-1 Page 13 of 18

#### Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

#### Sensitising effects

May cause an allergic skin reaction. (Benzyl methacrylate; Propylidynetrimethanol, ethoxylated, esters with acrylic acid (<6.5 mol EO); 2-hydroxyethyl methacrylate; N,N-bis-(2-hydroxyethyl)-para-toluidine)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

May cause respiratory irritation. (Benzyl methacrylate; methacrylic acid; 2-methylpropenoic acid)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

No data available

#### Additional information on tests

No data available

#### **Practical experience**

May be harmful if swallowed, in contact with skin or if inhaled.

# 11.2. Information on other hazards

### **Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# Kisling - 1678-1 - component A 1680-1

Revision date: 23.05.2023 Product code: 1678-1 Page 14 of 18

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
2495-37-6	Benzyl methacrylate						
	Acute fish toxicity	LC50	4,67 mg/l	96 h	Pimephales promelas	REACh Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50	2,28 mg/l	72 h	Desmodesmus subspicatus	REACh Registration Dossier	OECD Guideline 201
	Crustacea toxicity	NOEC	4,21 mg/l	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211
79-41-4	methacrylic acid; 2-methy	Ipropenoic a	acid				
	Acute fish toxicity	LC50	85 mg/l	96 h	Oncorhynchus mykiss	REACh Registration Dossier	EPA OTS 797.1400
	Acute algae toxicity	ErC50	45 mg/l	72 h	Raphidocelis subcapitata	REACh Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 130	48 h	Daphnia magna	REACh Registration Dossier	EPA OTS 797.1300
	Fish toxicity	NOEC	10 mg/l	35 d	Danio rerio	REACh Registration Dossier	OECD Guideline 210
	Crustacea toxicity	NOEC	53 mg/l	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211
	Acute bacteria toxicity	(EC50 mg/l)	13500	3 h	Activated sludge	Publication (2008)	ISO 8192
28961-43-5	Propylidynetrimethanol, et	thoxylated,	esters with a	crylic aci	d (<6.5 mol EO)		
	Acute fish toxicity	LC50	1,95 mg/l	96 h	Danio rerio	REACh Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50	2,2 mg/l	72 h	Desmodesmus subspicatus	REACh Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50	70,7 mg/l	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202
52628-03-2	2-Propenoic acid, 2-methy	/l-, 2-hydrox	yethyl ester,	phospha	nte		
	Acute fish toxicity	LC50 mg/l	> 112	96 h	Oncorhynchus mykiss	Study report (2013)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 120	72 h	Raphidocelis subcapitata	Study report (2013)	OECD Guideline 201
868-77-9	2-hydroxyethyl methacryla	ate					
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Oryzias latipes	REACh Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50	345 mg/l	72 h	Raphidocelis subcapitata	REACh Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50	380 mg/l	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202
	Crustacea toxicity	NOEC	24,1 mg/l	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211
103671-44-9	N,N-bis-(2-hydroxyethyl)-	para-toluidin	е				
	Acute fish toxicity	LC50	>100 mg/l	96 h		Pre-supplier/manuf acturer	OECD 203
	Acute crustacea toxicity	EC50	48 mg/l	48 h		Pre-supplier/manuf acturer	OECD 202
91-66-7	N,N-diethylaniline						



according to Regulation (EC) No 1907/2006

### Kisling - 1678-1 - component A 1680-1

Revision date: 23.05.2023 Product code: 1678-1 Page 15 of 18

	Acute fish toxicity	LC50 mg/l	42,25	96 h	Danio rerio	REACh Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50	7,42 mg/l	72 h	Desmodesmus subspicatus	REACh Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50	35,2 mg/l	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202
	Crustacea toxicity	NOEC mg/l	0,936	21 d	Daphnia magna	REACh Registration Dossier	other: modelling data
102-82-9	tributylamine						
	Acute fish toxicity	LC50	16,3 mg/l	96 h	Oryzias latipes	Study report (2000)	other: Testing Methods for Industrial Wa
	Acute algae toxicity	ErC50	10,1 mg/l		Raphidocelis subcapitata	REACh Registration Dossier	OECD Guideline 201

### 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

No data available

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
2495-37-6	Benzyl methacrylate	3,1
79-41-4	methacrylic acid; 2-methylpropenoic acid	0,93
28961-43-5	Propylidynetrimethanol, ethoxylated, esters with acrylic acid (<6.5 mol EO)	2,89
52628-03-2	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, phosphate	1 - < 2,72
868-77-9	2-hydroxyethyl methacrylate	0,42
103671-44-9	N,N-bis-(2-hydroxyethyl)-para-toluidine	2,17
91-66-7	N,N-diethylaniline	3,904
102-82-9	tributylamine	3,338

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
91-66-7	N,N-diethylaniline	>= 44 - = 17	Cyprinus carpio	REACh Registration D
102-82-9	tributylamine	7,3	Cyprinus carpio	REACh Registration D

### 12.4. Mobility in soil

No further relevant information available.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.



according to Regulation (EC) No 1907/2006

### Kisling - 1678-1 - component A 1680-1

Revision date: 23.05.2023 Product code: 1678-1 Page 16 of 18

#### List of Wastes Code - residues/unused products

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing

products); waste adhesives and sealants other than those mentioned in 08 04 09

### List of Wastes Code - used product

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing

products); waste adhesives and sealants other than those mentioned in 08 04 09

#### List of Wastes Code - contaminated packaging

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing

products); waste adhesives and sealants other than those mentioned in 08 04 09

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

**14.1. UN number or ID number:** No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

<u>14.1. UN number or ID number:</u> No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY No

HAZARDOUS:

### 14.6. Special precautions for user

No information available.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable



according to Regulation (EC) No 1907/2006

### Kisling - 1678-1 - component A 1680-1

Revision date: 23.05.2023 Product code: 1678-1 Page 17 of 18

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2010/75/EU (VOC): 7,296 %

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the

'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008

լԵ	LP	1

Classification	Classification procedure
Acute Tox. 4; H332	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H335	Calculation method

#### Relevant H and EUH statements (number and full text)

H301	loxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
11000	E ( ) (( ) )

H330 Fatal if inhaled.
H331 Toxic if inhaled.
H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H372 Causes damage to organs through prolonged or repeated exposure.
H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the





according to Regulation (EC) No 1907/2006

## Kisling - 1678-1 - component A 1680-1

Revision date: 23.05.2023 Product code: 1678-1 Page 18 of 18

case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

#### Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Adhesives and sealants	PW, C	6a, 6b, 12,	1	11, 19	4, 8a, 8c,	4e, 4g, 5c,	110	K+D
			18, 19			8d	6g, 7c, 7g,		
							8, 10, 11,		
							13		

LCS: Life cycle stages
PC: Product categories
ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use PROC: Process categories AC: Article categories

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)